

Violence in the emergency department

Violence towards staff is of serious concern across health-care services. Health professionals are one of the most likely groups to experience violence and aggression in the workplace (Table 1), second only to the protective service occupations: prison officers, police and security staff. There is clear evidence that the experiences of NHS staff at work have a direct impact on patient outcomes, patient satisfaction and the effective use of resources (Department of Health, 2010). Violence towards staff results in considerable emotional, human and financial costs. In addition to the physical and psychological suffering, there are implications for staff sickness and retention levels, and the overall morale and productivity of the workforce. The estimated cost to the NHS of health-care-related violence is in excess of £69 million per year (National Audit Office, 2003).

Incidence of violence

Incidents of violence and aggression are under-reported; research suggests that a third of staff who experience physical abuse never formally report it (Ferns and Chojnacka, 2005; Ipsos MORI, 2010). Furthermore, verbal aggression is estimated to occur at least twice as often as physical abuse, and is rarely reported. Staff are inclined to believe that violence and aggression are routine and occupational hazards of their job (Ipsos MORI, 2010).

Given this under-reporting, it is difficult to be precise about the degree of violence and aggression in emergency departments. However, a telephone survey of 233 emergency departments found that 50% estimated that verbal abuse occurred daily or several times a day, and 33% that it occurred weekly. More than half of the departments surveyed reported that physical violence occurred on a monthly basis, with 12% estimating that it occurred weekly and 2% daily (Jenkins et al, 1998).

The emergency department is a high-pressure environment; patients present in pain and are often emotionally distressed. Indeed, poorly controlled pain may be a major trigger of violence from both patients and accompanying adults who feel that a clear need is not being addressed. This is one of the reasons why the UK College of Emergency Medicine has set standards for the timely management of pain, and audits these nationally on an annual basis (Clinical Effectiveness Committee, 2010).

Causes of violence

Emergency department staff are working under pressure to meet the needs of patients and to fulfil the current quality indicator of seeing, assessing, treating and ‘disposing of’ 95% of patients within 4 hours. In addition to this, an eclectic mix of patients with minor injuries or illness, mental health needs, substance abuse

problems and immediately life-threatening conditions are thrown together in a department with limited space and resources. This complex interaction of the demands on staff and the needs of patients is likely to elicit unpredictable behaviour.

Individuals have a ‘tolerance threshold’; there is a point at which they are unable to cope with circumstances and the environment, and will resort to extreme behaviour. Complex interactions between a range of factors are used to account for the occasions that this behaviour manifests as violence and aggression – pain and discomfort, fear and anxiety, over-crowding of waiting areas and frustration with waiting times are commonly cited (Jenkins et al, 1998; Stirling et al, 2001). Some individuals are more predisposed than others to violence and aggression, and biological, psychological and socioeconomic variables interact with environmental factors to modify the likelihood of an incident occurring.

Research suggests that those under the influence of alcohol and/or drugs and those with dementia or mental health needs are specific groups of patients likely to be pushed to their tolerance threshold by the emergency department environment (James et al, 2006; Linsley, 2006). The confusion and fear experienced and displayed by these groups can have a proliferative effect on others in the waiting room. However, several studies suggest that although alcohol may often be a factor in violence and aggression in the emergency department, extreme behaviour in intoxicated people is exacerbated by many of the limitations of the environment. One article reports that while 98% of emergency department consultants believe alcohol contributes to violence, waiting times and patient expectations are also very frequently cited: 86% and 82% respectively (Jenkins et al, 1998). Media portrayals of emergency departments tend to sensationalize the frequency of intoxicated patients presenting late at night and being violent towards staff and other patients. However, the association between violence and alcohol is not inevitable, and most people never become aggressive when they drink.

Table 1. Standard definitions of violence and assault	
Violence ‘Any untoward incident where staff are abused, threatened or assaulted in circumstances relating to their work, involving an explicit or implicit challenge to their safety, wellbeing or health’	
Physical assault: the intentional use of force against another person, without lawful justification, resulting in physical or personal discomfort	Sexual assault
	Stabbing or use of weapon
	Punching, kicking or biting
	Pushing
	Hair pulling
Non-physical assault: the use of inappropriate words or behaviour causing distress or constituting harassment	Verbal abuse or threats
	Swearing or shouting
	Aggressive gestures or expressions
	Staring, pacing or stalking
	Invasion of personal space
From NHS Security Management Services (2004, 2009)	

The role of design

Approaches to addressing emergency department violence have typically concentrated on increasing security. While appropriate security is an important part of maintaining safety, tyrannical measures can antagonize individuals by providing them with an obvious opponent. High presence security adds an oppressive dimension to the already volatile environment. An alternative approach is to improve the patient experience and customer satisfaction; the implication being a reduction in frustration and aggressive behaviour. The Department of Health is currently working with the Design Council to explore how design can be used to reduce aggression and violence in emergency departments. Following an extensive literature review and benchmarking exercise, a competition was launched for multidisciplinary teams to identify and develop potential design solutions.

Our team is working to address these design challenges. The team is led by the design consultancy PearsonLloyd, who have formed partnerships with the Helen Hamlyn Centre for Design, the Tavistock Institute, Tavistock & Portman NHS Foundation Trust, the University of the West of England, Bristol and the University of Bath. We are working closely with three sites currently engaged in re-builds of their emergency departments. Periods of observation, workshops with management and front-line clinical staff and consultation with expert advisers and service users have informed the interpretation of needs and the development of concepts. Strategies for evaluation are also being developed. It is hoped that

these new design solutions, which were launched in November 2011, can deliver a strong return on investment to NHS staff and patients by making emergency department environments safer and more efficient.

Conclusions

The prevention and mitigation of violence and aggression in emergency departments needs to be approached from a multitude of perspectives. Sudden and unexpected violent assaults on staff are rare, and most incidents are preceded by mounting tension with opportunities for de-escalation (Morrison et al, 1998). Patients become frustrated by the waiting time, lack of information and inadequate facilities. Frustration can quickly escalate into threatening language, behaviour and violence. As well as addressing physical and design aspects of the emergency department to increase comfort, reduce crowding, improve information flow and alleviate boredom there is scope to modify patient and public perceptions of the environment and the processes. There is little doubt that there are lessons to be learned from the experiences of business, psychology and marketing. **BJHM**

Sarah Voss

Research Fellow

University of the West of England
Bristol

Tom Lloyd

Partner

PearsonLloyd Design Consultancy

Olivia Joyner

Researcher and Consultant

Tavistock Institute of Human Relations

Julian Lousada

Consultant Social Worker and Psychoanalyst
The Tavistock and Portman NHS

Foundation Trust

Nigel Caldwell

Research Fellow

University of Bath

Jonathan Benger

Professor of Emergency Care
Consultant in Emergency Medicine

Emergency Department

University Hospitals Bristol NHS

Foundation Trust

Bristol Royal Infirmary

Bristol BS2 8HW

(jonathan.benger@uwe.ac.uk)

The authors are grateful to Ranjit Soor, Urgent and Emergency Care Programme Manager at the Department of Health, and Chris Howroyd, Health Programme Manager at the Design Council, for their support in relation to the 'Reducing Violence and Aggression in A&E by Design' project, and for their advice on this editorial.

Clinical Effectiveness Committee (2010) *Clinical Standards for Emergency Departments*. College of Emergency Medicine, London

Department of Health (2010) *Insight into Staff Engagement: Managing Your Organisation, Workforce*. Gateway reference number 15116. NHS Staff Experience. Department of Health, London

Ferns T, Chojnacka I (2005) Reporting incidents of violence and aggression against NHS staff. *Nurs Stand* 19(36): 51–6

Ipsos MORI (2010) Violence against frontline NHS staff. Research for COI on behalf of the NHS Security Management Service (www.nhsbsa.nhs.uk/Documents/SecurityManagement/NHS_SMS_Workplace_Safety_Report_FINAL_MERGED.pdf accessed 23 November 2011)

James A, Madeley R, Dove A (2006) Violence and aggression in the emergency department. *Emerg Med J* 23(6): 431–4

Jenkins MG, Roche LG, McNicholl BP, Hughes DM (1998) Violence and verbal abuse against staff in accident and emergency departments: a survey of consultants in the UK and the Republic of Ireland. *J Accid Emerg Med* 15(4): 262–5

Linsley P (2006) *Violence and Aggression in the Workplace: A practical guide for all Healthcare Staff*. Radcliffe Publishing, Oxford

Morrison JL, Lantos JD, Levinson W (1998)

Aggression and violence directed toward physicians. *J Gen Intern Med* 13(8): 556–61

National Audit Office (2003) *A safer place to work. Protecting NHS Hospital and Ambulance Staff from Violence and Aggression*. National Audit Office, London

NHS Security Management Services (2004) *A framework for reporting and dealing with non-physical assaults against NHS staff and professionals: Non Physical Assault Explanatory notes*. Department of Health, London

NHS Security Management Services (2009) *Tackling Violence against staff*. Explanatory notes for reporting procedures introduced by Secretary of State Directions in November 2003 (updated June 2009). Department of Health, London

Stirling G, Higgins JE, Cooke MW (2001) Violence in A&E departments: a systematic review of the literature. *Accid Emerg Nurs* 9(2): 77–85

KEY POINTS

- Violence towards NHS staff refers to any incident where the employee is abused, threatened or assaulted; this may be physical or non-physical.
- Individuals have a 'tolerance threshold', and violent and aggressive behaviour is often a result of a build up of frustrations.
- Patients attending the emergency department are likely to be in pain, vulnerable and emotionally distressed and therefore already have reduced tolerance to external factors.
- The environment of the emergency department can escalate frustration – waiting times, noise and over-crowding are all factors that may give rise to extreme behaviour.
- The Department of Health is working in partnership with the Design Council to explore ways that redesign of emergency departments can reduce violence towards staff.
- Rather than increasing security, an alternative approach to reducing violence is to improve the patient experience of the environment and emergency department processes.
- A multidisciplinary team has worked on design solutions to tackle aggression against staff, and these were launched in November 2011.